



Premium Direct Vent Fireplace Systems

MAJESTIC 

## Premium Direct Vent Fireplace Systems

### MARQUIS CLEARVIEW 400/500DVKHL

The 400/500DVKHL from Majestic is changing the face of fireplace design. Its louverless clean-face combined with an expansive viewing area ensures that the incredibly life-like flames are the true focal point in any room. Designed to suit any décor and offered in two standard sizes, the Marquis ClearView from Majestic is right at home regardless of taste or style.



Marquis 400DVKHL

Give people a place to gather – make fire the focal point of your room again with these premium direct vent fireplaces from Majestic.



Marquis 500DVKHL

## BROOKHAVEN 20DVT

The Brookhaven brings style, beauty and warmth to the most underused spaces in your home... corners. Plus, the cabinets are available in two different colors, Natural Cherry and gorgeous Sienna Brown, as well as in two different designs. Yet all Brookhaven fireplaces and cabinets create one thing: the most beautiful corner of any room in your home.



Brookhaven 20DVT cabinet in Sienna Brown stain

### STANDARD FEATURES:

#### MARQUIS

- Available in two sizes: 32" opening (400DVKHL) and 36" opening (500DVKHL)
- Clear-View ceramic glass: viewing area of 960 square inches (400DVKHL) and 1080 square inches (500DVKHL)
- Max BTU output: 40,000 (400DVKHL) and 50,000 (500DVKHL)
- Ember bed burner with fiber ceramic logs
- Accent light provided standard with manual dimmer control
- Top vent with 5" x 8" direct vent pipe
- Fits chases with a 24" inside depth
- FE (fireplace efficiency as per CSA P4)
- Natural gas and propane gas field convertible
- Variable Hi/Lo flame adjustment

#### BROOKHAVEN

- Silver gray refractory brick lining
- Ceramic glass front
- Realistic logs with textured bark, random charred and rugged flesh areas
- Radiant ceramic burner features manual flame adjustment for up to 50% turndown
- FE (fireplace efficiency as per CSA P4)
- Natural gas and propane gas field convertible
- Variable Hi/Lo flame adjustment

## Premium Direct Vent Fireplace Systems

Model	400DVKHL	500DVKHL	20DVT
BTU / HR	28,500 - 40,000 NG / 30,500 - 40,000 LP	32,500 - 50,000 NG / 38,500 - 50,000 LP	8,700 - 13,000 NG / 8,700 - 13,000 LP
FE Ratings (Fireplace Efficiency)	69.6% NG / 78.2% LP	67.6% NG / 69.8% LP	60.1% NG / 60.1% LP
Thermal Efficiency	Up to 80%	Up to 80%	Up to 80%
Dimensions (Actual)	44 15/16"W x 44 3/8"H x 23 7/8"D	48 15/16"W x 44 3/8"H x 23 7/8"D	20"W x 32 1/2"H x 15"W
Dimensions (Framing)	45 5/16"W x 44 3/4"H x 23 7/8"D	49 5/16"W x 44 3/4"H x 23 7/8"D	21 1/4"W x 34"H x 15 1/2"W
Viewing Area	30"H x 32"W (960sq.in.)	30"H x 36"W (1080sq.in.)	20"H x 13 1/2"W (270sq.in.)
Blower	Optional	Optional	No

## Optional Accessories

### Marquis


- Herringbone firebrick in Olde English; or traditional firebrick in Tavern Brown and Cottage Red (purchase of brick is required for all models).
- Blower
- Forged andirons
- Cast andirons
- Ambient Technologies® remote controls

### Brookhaven

- Natural Cherry or Sienna Brown cabinets
- Cast iron front trim in Classic Black or Ebony Black
- Ambient Technologies® remote controls



Variable thermostat controlled dual forced air blower (160 cfm each)



Natural Cherry

Sienna Brown



Cast Andirons



Forged Andirons



Accent Lighting



See our Ambient Technologies® catalog for a complete line of remotes and thermostats.



Tavern Brown Firebrick



Cottage Red Firebrick



Olde English Firebrick



# MAJESTIC



A Brand of Monessen Hearth Systems Co.  
149 Cleveland Drive, Paris, Kentucky 40361  
[www.majesticproducts.com](http://www.majesticproducts.com)

Your Majestic Dealer:

To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended for, nor should they be used as a substitute for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice. © 2007 Monessen Hearth Systems Co.