



Vent Free Fireplace Systems

MAJESTIC 



32VFSC with black trim and Tavern Brown firebrick



24DBXC with optional face plate, Brass louvers and Tavern Brown firebrick



32VFHC with Brass louvers, Brass trim and Cottage Red firebrick

## Vent Free Fireplace Systems

Enhancing your home with the beauty of fire is now easier than ever with a VFS vent free fireplace system from Majestic. These simple and safe fireplace solutions have slim 12 inch deep profiles offering a compact traditional fireplace design. This fireplace is available in 24 and 32 inch sizes. With standard black trim and louvers, these easy to install vent free fireplace systems from Majestic are perfectly suited to just about any location in your home.

Our VFH series of vent free fireplace systems offer a full sized fireplace in 32, 36 and 42 inch sizes that make fire the focal point of your room again. With an easy to use deluxe control panel, BTU's ranging from 26,000 – 38,000, and a wide variety of optional accessories to choose from including interior firebrick choices, decorative face options and trim finishes, the VFH vent free fireplace systems from Majestic are an elegant way to warm up any room in your home.



24VFSC with optional Dark Cherry corner surround, Brass louvers and Tavern Brown firebrick

Give people a place to gather – make fire the focal point of your room again with a vent free fireplace system or insert from Majestic.



24VFSC with Tavern Brown firebrick



36VFHC with black trim and Cottage Red firebrick

## Vent Free Fireplace Insert

The ISD vent free fireplace insert from Majestic is the perfect way to bring your existing wood burning fireplace to life again without the hassle of making a wood fire. This easy to install vent free insert will fit most standard masonry fireplaces with a minimum opening of 24 inches high and 33 inches wide. Available with standard black or optional Brass trim and louvers as well as an optional Brass face, this insert offers an impressive BTU range from 19,000 to 28,000 keeping up to 950 square feet warm and cozy.



ISD with optional face plate and Polished Brass louvers

## STANDARD FEATURES:

- New Triple Play Burner System® with exclusive triple effect technology producing a full random yellow flame, full depth ember bed and glowing logs
- Millivolt with on/off switch and variable flame height control
- Flexible connector with On/Off valve included
- No venting required for ease of installation
- Consumer friendly deluxe control panel with easy lift off access for blower installation
- Fixed safety screen
- Junction box included for electrical hook up

## DBX:

- Thermostat control operation
- Single burner design with 10,000 BTU for bedroom applications
- Black trim and black louvers standard
- 10 1/2" overall depth

## VFS:

- Available in two sizes: 24" and 32"
- 24VFS 22,000 BTU and 32VFS 26,000 BTU
- Black trim and black louvers standard
- 24VFS 10 1/2" overall depth and 32VFS 12" depth
- Optional firebrick and face plate options available

## VFH:

- Available in three sizes: 32", 36" and 42" units
- Available with 38,000 BTU natural gas and 34,000 BTU propane gas
- Black trim and louvers standard
- 32VFH has 16" overall depth; 36VFH & 42VFH has 18" depth
- Optional firebrick and faces available
- Can be field converted from circulation to radiant with optional radiant panels

## ISD:

- Tavern Brown firebrick standard
- Minimum fireplace opening 33"W x 24"H
- Thermostatically controlled blower

## Optional Accessories

- DBX and VFS available with optional Tavern Brown firebrick
- VFH available with optional Tavern Brown and Cottage Red firebrick
- BLOT variable thermostat forced air blower for 32VFS and VFH units
- BLO24TB variable thermostat dual blower for DBX unit
- BLO24T variable thermostat dual blower for 24VFS unit
- Polished Brass louvers for DBX, VFS, ISD units
- Polished Brass and Pewter louvers for VFH units
- Black face plate for DBX model
- Black, Brass and Pewter curved and medium trim for VFH models
- Classic and Manor faces available for VFH Fireplaces
- Corner or wall cabinets available for VFS and VFH units
- Two sizes of face plates for ISD insert: 43"W x 33"H and 50"W x 36"H
- Multi-functional Ambient Technologies® remote controls available for all units



Pewter  
louvers



Brass  
louvers



Variable forced air blower (135 cfm)



Medium  
Pewter trim

Medium  
Brass trim

Medium  
Black trim



Standard thermostat ON/OFF remote control, with backlighting, temperature display, ON indicator, low battery indicator and thermal shutdown.



Tavern Brown  
firebrick



Cottage Red  
firebrick

## Vent Free Fireplace Systems

Model	24VFSC	32VFSC	24DBXC
BTU / HR (Millivolt Control)	17,000 - 22,000 NG / 17,000 - 22,000 LP	20,000 - 26,000 NG / 20,000 - 26,000 LP	
BTU / HR (Thermostat Control)			10,000 - 10,000 NG / 10,000 - 10,000 LP
Dimensions (Actual)	24 1/2"W x 26 1/2"H x 10 1/2"D	32"W x 30"H x 12"D	24 1/2"W x 26 1/2"H x 10 1/2"D
Dimensions (Framing)	24 3/4"W x 26 3/4"H x 10 1/2"D	32 1/2"W x 30 1/4"H x 12 1/4"D	24 3/4"W x 26 3/4"H x 10 1/2"D
Viewing Area	26 1/2"W x 26 1/2"H (700 sq. inches)	30"W x 30"H (900 sq. inches)	17 1/3"W x 17 1/3"H (300 sq. inches)

  

Model	32VFHC	36VFHC	42VFHC
BTU / HR (Millivolt Control)	26,000 - 38,000 NG / 26,000 - 34,000 LP	26,000 - 38,000 NG / 26,000 - 34,000 LP	26,000 - 38,000 NG / 26,000 - 34,000 LP
Dimensions (Actual)	37"W x 34 1/2"H x 16"D	41"W x 34 1/2"H x 18"D	47"W x 34 1/2"H x 18"D
Dimensions (Framing)	37 1/4"W x 35"H x 15 1/2"D	41 1/4"W x 35"H x 17 1/2"D	47 1/4"W x 35"H x 17 1/2"D
Opening Height	21 3/4"H	21 3/4"H	21 3/4"H
Radiating or Circulating	Both	Both	Both

  

Model	ISD Insert Only	Small Face Plate	Large Face Plate
BTU / HR	19,000 - 28,000 NG / 23,000 - 28,000 LP		
Dimensions (of Front)	33"W x 26 3/4"H x 16 1/2"D	43 1/4"W x 33"H	50 1/4"W x 36"H
Dimensions (of Back)	22 3/4"W x 23 7/8"H x 17 9/16"D		
Total Depth of Insert*	16 1/2"D		
Viewing Area	950sq.ft		

\*Note: Faceplate adds 1/2" for a total depth of 17"



# MAJESTIC



A Brand of Monessen Hearth Systems Co.  
149 Cleveland Drive, Paris, Kentucky 40361  
[www.majesticproducts.com](http://www.majesticproducts.com)

Your Majestic Dealer:

To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended for, nor should they be used as a substitute for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice. © 2008 Monessen Hearth Systems Co.